

# Safety Data Sheet

## PRODUCT IDENTIFICATION

ProductBlack In A FlashHSDS Code002-01Product UseExterior Trim PolishContact AddressTurtle Wax Limited, East Gillibrands, Skelmersdale, Lancashire, England, WN8 9TXContact NumbersTel ; +44 (0) 1695 722 161Fax ; +44 (0) 1695 716 621

#### 2 COMPOSITION / INFORMATION ON CONSTITUENTS

Product type; Aerosol

Potentially hazardous constituents greater than 1% (or 0.2% for Aerosols) according to directive 2001-58-EC, CHIP 3					
Chemical	Amount	CAS Number	Einecs / EC Number	Risk Phrase(s)	Symbol(s)
Isobutane	1-5%	75-28-5	200-857-2	12	F+
Butane	1-5%	106-97-8	203-448-7	12	F+
Propane	5-10%	74-98-6	200-827-9	12	F+

#### 3 HAZARD INFORMATION

Extremely Flammable

5

See Section 15 for further information

#### 4 FIRST AID MEASURES

Eye Contact	Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eyelids. Continue rinsing for 15 minutes. Get medical attention if any discomfort continues.
Skin Contact	Wash with soap and water, and rinse thoroughly. If clothes are contaminated clean before re-use. If there is any irritation / discomfort of the skin seek medical attention.
Inhalation	Move the exposed person to fresh air at once. Get medical attention if any discomfort continues. For breathing difficulties oxygen may be necessary.
Ingestion	DO NOT INDUCE VOMITING. DO NOT GIVE ANYTHING TO DRINK TO AN UNCONCIOUS PERSON. Rinse mouth out with water and give large amounts of water or milk. If discomfort continues, get medical attention

#### FIRE FIGHTING MEASURES

Suitable Extinction Media Special Procedures	Powder, Dry Chemicals, Sand, Water spray, fog or mist Containers close to fire should be removed or cooled with water. Use water to keep fire		
Avoid Using	exposed containers cool and disperse vapours. N/a		
Special Hazard(s)	Aerosols may explode in fires. Risk of explosion if heated.		
6 ACCIDENTAL RELEASE MEASURES			

# Personal Precautions<br/>Environmental Precautions<br/>Cleaning MethodsSee Section 15 for Safety warnings. Wear suitable protective clothing for removal of product.<br/>DO NOT discharge into surface water or ground water drains<br/>Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. If leakage<br/>cannot be stopped, evacuate area and ventilate.

#### 7 HANDLING AND STORAGE

HandlingKeep away from heat, sparks and open flames. Read instructions carefully before use.StorageAerosol cans; must not be exposed to direct sunlight or temperatures above 50°C



## EXPOSURE CONTROL/PERSONAL PROTECTION

8

For industrial users follow your own CoSHH assessment for this product.

Ingredient Name	CAS Number	STD	LT exp (8hrs)	St exp (15 min)
Butane	106-97-8	OES	600ppm	750ppm
Propane	74-98-6	OES	Asphyxiating	Asphyxiating
Comments	OES = Occupations Expo	sure Standard		
Protective Equipment	Goggles / Gloves			
Ventilation	Provide adequate general and local exhaust ventilation			
Respirators	No specific recommendation made			
Gloves	Chemical resistant gloves required for prolonged or repeated use			
Eye Protection	Wear protective goggles, where eye exposure is reasonably probable			
Other	Wear appropriate clothing, to prevent any possibility of liquid contact and repeated or prolonged			
	contact			
<b>Hygienic Work Routine</b>	ne DO NOT SMOKE IN WORK AREA, Wash hands after use and before eating etc. No eating or			tc. No eating or
	drinking while working with this material			

#### 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Aerosol
Colour	Clear
<b>Odour / Fragrance</b>	Chemical
pH (undiluted)	N/a
Flash point	N/a – Aerosol
Flammability	Upper limit 9.0% - lower limit 0.8%
Vapour Pressure	N/a
<b>Explosive characteristics</b>	N/a

#### 10 STABILITY AND REACTIVITY

Conditions to avoid	Normally stable, avoid heat, flames and other sources of ignition.
Materials to avoid	Strong oxidising agents, strong alkalis, strong mineral acids
Hazardous decomposition products	Fire creates; vapours/ gases/ fumes of carbon monoxide and carbon dioxide

#### 11 TOXICOLOGICAL INFORMATION

Health Hazards – General	Prolonged or repeated contact with solvents may lead to permanent health problems
Inhalation	Gas or vapour in high concentrations may irritate respiratory system. Gas or vapour displaces oxygen available for breathing (asphyxiant)
Ingestion	May cause stomach pain or vomiting, including upset stomach
Skin	Prolonged or repeated exposure may cause severe irritation. Acts as a de-fatting agent on skin.
	May cause cracking of skin, and eczema
Eyes	May cause irritation

# 12 ECOLOGICAL INFORMATION

Ecotoxicity Mobility	Not classified as Toxic to aquatic organisms Highly mobile in air, not soluble in water
Persistence & Degradability	N/A
<b>Bio accumulative Potential</b>	N/A
Other adverse affects	N/A

# 13 DISPOSAL CONSIDERATIONS

Do not puncture or burn aerosols even after use. Dispose with household refuse if the article has environmentally friendly package marking  $(\mathbf{r})$  otherwise take the waste to an approved site for disposal.



14 TRA	ANSPORT			
ROAD (ADR) UN Number ADR Class Code	1950 2 - 5F 5F	SEA (IMDG) UN Number Class Marine Pollutant IMDG Page no;	1950 2.1 No 93	
Shipping Name Notes	Aerosols – contains Butane / Propane Exempt from control as limited quantity p	provisions apply		
15 REGULATORY INFORMATION				
Hazard Symbol(s)	Shipping label UN 1950 AEROSOLS		Extremely Flammable	
Risk Phrase(s)	R12 Extremely flammable			
Safety Phrase(s)	S2 Keep out of reach of children S16 Keep away from sources of ign S51 Use only in ventilated areas S23C Do not breathe vapour	ition – NO SMOKING		

## 16 OTHER INFORMATION

#### **Risk Phrase information from Section 2**

R12 Extremely Flammable

You are recommended to refer to all international, national or local measures or requirements, which may apply. The attention of users is drawn to the possible existence of other requirements complementing these requirements.

This data sheet complements the technical instruction sheets / label, but does not replace them. The information it contains is based on our knowledge concerning the product on the date shown. It is given in good faith. Under no circumstances does it exempt users from knowing and applying all regulations governing their business. They shall take the precautions linked to how they the use the product at their sole responsibility.

Users are also forewarned about any hazards incurred when a product is used for any other purposes than those for which it is designed.