



# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

## TQX Screenwash Concentrate

Revision 0

Revision date 2016-01-19

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	TQX Screenwash Concentrate
Other means of identification	542771151, 542771155, 542771150, 542771157, 542771156.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC4] Anti-Freeze and de-icing products; [AC1] Vehicles;
-------------	---

#### 1.3. Details of the supplier of the safety data sheet

Company	Euro Car Parts Ltd
Address	Fulton Road Wembley Middlesex HA9 0TF
Web	www.eurocarparts.com
Telephone	+44 (0) 203 474 0500
Fax	
Email	custservice@eurocarparts.com
Email address of the competent person	custservice@eurocarparts.com
Local Supplier	
Company	Bulk Products Ltd
Address	Unit 2 Marshfield Bank Middlewich Road Crewe Cheshire CW2 8UY United Kingdom
Web	www.homecareproducts.co.uk
Telephone	0844 335 0816
Fax	0844 335 0854
Email	sales@active-brand-concepts.com
Email address of the competent person	sales@active-brand-concepts.com

#### 1.4. Emergency telephone number

Emergency telephone number	08443350816
Company	James Sharpe 8.30 - 5

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

## TQX Screenwash Concentrate


Revision 0

Revision date 2016-01-19

## 2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xn; R20/21/22-68/20/21/22 R10 Symbols: Xn: Harmful.
Main hazards	Flammable. Harmful by inhalation, in contact with skin and if swallowed. Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.
2.1.2. Classification - EC 1272/2008	Flam. Liq. 3: H226; Acute Tox. 4: H302; STOT SE 2: H371;

## 2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour. Acute Tox. 4: H302 - Harmful if swallowed. STOT SE 2: H371 - May cause damage to organs .
Precautionary Statement: Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting// equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P270 - Do no eat, drink or smoke when using this product.
Precautionary Statement: Response	P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P330 - Rinse mouth.
Precautionary Statement: Storage	P370+P378 - In case of fire: Use to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P405 - Store locked up. P501 - Dispose of contents/container to

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Methanol	603-001-00-X	67-56-1	200-659-6		1 - 10%	F; R11 T; R23/24/25-39/23/24/25	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	F; R11 Xi; R36 R67	

## TQX Screenwash Concentrate

Revision 0

Revision date 2016-01-19

## 3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Methanol	603-001-00-X	67-56-1	200-659-6			Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370;	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7			Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;	
C9-11 Alcohol Ethoxylate with 6.5MEO		68439-45-2				Eye Irrit. 2: H319;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache. Move the exposed person to fresh air. Seek medical attention.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Use as appropriate: Carbon dioxide (CO <sub>2</sub> ), Dry chemical, Foam.
--	--

## 5.2. Special hazards arising from the substance or mixture

	. Burning produces irritating, toxic and obnoxious fumes.
--	---

## 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Eliminate all sources of ignition. Wear suitable protective equipment.
--	---

## 6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

## 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

## 7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.
--	--

## SECTION 8: Exposure controls/personal protection

## TQX Screenwash Concentrate


Revision 0  
Revision date 2016-01-19

## 8.1. Control parameters

## 8.1.1. Exposure Limit Values

Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total inhalable dust: -	WEL 15 min limit mg/m3 total inhalable dust: -
	WEL 8-hr limit mg/m3 total respirable dust: -	WEL 15 min limit mg/m3 total respirable dust: -
Methanol	WEL 8-hr limit ppm: 200	WEL 8-hr limit mg/m3: 266
	WEL 15 min limit ppm: 250	WEL 15 min limit mg/m3: 333
	WEL 8-hr limit mg/m3 total inhalable dust: -	WEL 15 min limit mg/m3 total inhalable dust: -
	WEL 8-hr limit mg/m3 total respirable dust: -	WEL 15 min limit mg/m3 total respirable dust: -

## 8.2. Exposure controls

	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Self-contained breathing apparatus. Wear protective clothing.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Blue
Odour	Alcoholic
pH	± 7
Initial boiling point	= 88.3 °C
Flash point	54 °C
Relative density	± 0.95 - 1 (H <sub>2</sub> O = 1 @ 20 °C)
Viscosity	± 10 mPas (Cone & Plate)
Solubility	Soluble in water

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Oxidising agents.

## 10.4. Conditions to avoid

Heat, sparks and open flames.

## SECTION 11: Toxicological information

## TQX Screenwash Concentrate

Revision 0  
Revision date 2016-01-19

## 11.1.4. Toxicological Information

No data available

## SECTION 12: Ecological information

## 12.1. Toxicity

No data available

## SECTION 13: Disposal considerations

## General information

Dispose of in compliance with all local and national regulations.

## SECTION 14: Transport information

## Hazard pictograms



## 14.1. UN number

UN1987

## 14.2. UN proper shipping name

ALCOHOLS, N.O.S.

## 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

## 14.4. Packing group

Packing group III

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## ADR/RID

Hazard ID	30
Tunnel Category	(D/E)

## IMDG

EmS Code F-E S-D

## IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

## SECTION 15: Regulatory information

## TQX Screenwash Concentrate

Revision 0  
Revision date 2016-01-19

## SECTION 16: Other information

## Other information

Text of risk phrases in Section 3	<p>R11 - Highly flammable.  R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.  R36 - Irritating to eyes.  R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.  R67 - Vapours may cause drowsiness and dizziness.</p>
Text of Hazard Statements in Section 3	<p>Flam. Liq. 2: H225 - Highly flammable liquid and vapour.  Acute Tox. 3: H301 - Toxic if swallowed.  Acute Tox. 3: H311 - Toxic in contact with skin.  Acute Tox. 3: H331 - Toxic if inhaled.  STOT SE 1: H370 - Causes damage to organs .  Eye Irrit. 2: H319 - Causes serious eye irritation.  STOT SE 3: H336 - May cause drowsiness or dizziness.</p>

## Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.